

PRODUCT-DETAILS

3KDE175511L9300

AI930S Analog Input, HART (AI4H-Ex)



General Information

3KDF175511L9300 Product ID **ABB Type Designation Catalog Description** AI930S Analog Input, HART (AI4H-Ex)

> The remote S900 I/O system can be installed in non-hazardous areas or directly in Zone 1 or Zone 2 hazardous area depending on the selected system variant. S900 I/O communicates with the control system level using PROFIBUS DP standard. The I/O system can be installed directly in the field, therefore the costs for mashalling and wiring are reduced.

The system is sturdy, error-tolerant and easy to service. Integrated disconnection mechanisms allow replacement during operation, meaning that there is no need to interrupt the primary voltage in order to exchange the power supply units.

S900 I/O type S. For installation in hazardous area Zone 1. For connecting intrinsically safe field devices installed in Zone 2 or Zone 1 or Zone 0.

Al930S Analog Input (Al4H-Ex), input and power supply for 4...20 mA loop powered 2wire transmitters.

Long Description

- ATEX Certification for installation in Zone 1 - Redundancy (Power and Communication) - Hot Configuration in Run - Hot Swap functionality - Extended Diagnostic - Excellent configuration and diagnostics via FDT/DTM - G3-coating for all components - Simplified maintenance with auto-diagnostics - Short and break detection

- Cyclic HART variables

- Power supply for 4...20 mA loop powered 2-wire transmitters - Electrical isolation between input / bus and input / power - Common return for all inputs - 4 channels - Transmission of HART frames via the fieldbus

Additional Information

Medium Description Transmitter power supply, 4...20 mA. **Product Type** I-O_Module

Ordering

HS Code 853890-- Parts suitable for use solely or principally with the apparatus of heading 85.35, 85.36 or 85.37.- Other 85389099 **Customs Tariff Number**

Dimensions

Product Net Depth / 104 mm Length 20 mm Product Net Height **Product Net Width** 104 mm **Product Net Weight** 0.14 kg

Technical

| Channel Type | Al |
|-----------------|----|
| Number of Input | 4 |
| Channels | |

Environmental

| RoHS Status | Following EU Directive 2011/65/EU |
|---------------------|--|
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| Number of Batteries | 0 |

Categories

Control System Products \rightarrow I/O Products \rightarrow S900 I/O \rightarrow S900 I/O - Modules \rightarrow Al930S Analog Inputs \rightarrow Al930S Analog Input Control Systems \rightarrow 800xA \rightarrow I/Os \rightarrow S900 I/O \rightarrow I/O Modules Control Systems \rightarrow 800xA \rightarrow I/Os \rightarrow S900 I/O \rightarrow I/O Modules

