

3BSC630049R1

General Information

Product ID: 3BSC630049R1

ABB Type Designation: TC562

Catalog Description: TC562 Short Distance Modem

Long Description: Length < 10 km. Point-to-point up to 1 km at 19200 bps. G1 compliant.
Power 24V d.c.
To be used with CI531, CI532Vxx, CI534Vxx, CI853.

Note! This part is exempted from the scope of 2011/65/EU (RoHS) as provided in Article 2(4)(c), (e), (f) and (j) therein (ref.: 3BSE088609 – EU DECLARATION OF CONFORMITY - ABB Advant Master Process Control System)

Categories

Products » [Control Systems](#) » [800xA](#) » [Controllers](#) » [AC 800M Control Software](#) » [AC 800M Control Software 4.0](#) » [Communication Modules](#)

Products » [Control Systems](#) » [800xA](#) » [Controllers](#) » [AC 800M Hardware](#) » [AC 800M Hardware 4.0](#) » [Communication Modules](#)

Products » [Control Systems](#) » [800xA](#) » [Controllers](#) » [AC 800M Hardware](#) » [AC 800M Hardware 4.1](#) » [Communication Modules](#)

Products » [Control Systems](#) » [800xA](#) » [Controllers](#) » [AC 800M Hardware](#) » [AC 800M Hardware 5.0](#) » [Communication Modules](#)

Products » [Control Systems](#) » [800xA](#) » [Controllers](#) » [AC 800M Hardware](#) » [AC 800M Hardware 5.1](#) » [Communication Modules](#)

Products » [Control Systems](#) » [800xA](#) » [System](#) » [800xA System](#) » [800xA 6.0 System](#) » [Communication Modules](#)

Products » [Control Systems](#) » [Advant OCS with Master SW](#) » [Controllers](#) » [Advant Controller 160](#) » [Advant Controller 160 Version 2.2](#) » [Communication Modules](#)

Products » [Control Systems](#) » [Advant OCS with Master SW](#) » [Controllers](#) » [Advant Controller 450](#) » [Advant Controller 450 Version 2.3](#) » [Communication Modules](#)

Products » [Control Systems](#) » [Advant OCS with MOD 300 SW](#) » [Controllers](#) » [AC460](#) » [Communication Modules](#)

Products » [Control Systems](#) » [Compact Product Suite](#) » [Controllers](#) » [AC 800M](#) » [AC 800M 4.1](#) » [Communication Modules](#)

Products » [Control Systems](#) » [Compact Product Suite](#) » [Controllers](#) » [AC 800M](#) » [AC 800M 5.0](#) » [Communication Modules](#)

Products » [Control Systems](#) » [Compact Product Suite](#) » [Controllers](#) » [AC 800M](#) » [AC 800M 5.1](#) » [Communication Modules](#)

Products » [Control Systems](#) » [Compact Product Suite](#) » [Controllers](#) » [AC 800M](#) » [AC 800M 6.0](#) » [Communication Modules](#)

Products » [Control Systems](#) » [Safety Systems](#) » [Safeguard](#) » [Safeguard 400 Series](#) » [Safeguard 400 1.6](#) » [Communication Modules](#)

Parts & Services » [Control Systems](#) » [Advant OCS with Master SW](#) » [Controllers](#) » [Advant Controller 110](#) » [Communication Modules](#)

[Parts & Services » Control Systems » Advant OCS with Master SW » Controllers » Advant Controller 160 » Advant Controller 160 Version 2.2 » Communication Modules](#)

[Parts & Services » Control Systems » Advant OCS with Master SW » Controllers » Advant Controller 410 » Advant Controller 410 Version 1.5 » Communication Modules](#)

[Parts & Services » Control Systems » Advant OCS with Master SW » Controllers » Advant Controller 450 » Advant Controller 450 Version 2.3 » Communication Modules](#)

[Parts & Services » Control Systems » Advant OCS with Master SW » Controllers » Advant Controller 450RMC » Advant Controller 450RMC 2.x » Communication Modules](#)

[Parts & Services » Control Systems » Advant OCS with MOD 300 SW » Controllers » AC410 » Communication Modules](#)

[Parts & Services » Control Systems » Advant OCS with MOD 300 SW » Controllers » AC460 » Communication Modules](#)

Additional Information

Medium Description: Length < 10 km. Point-to-point up to 1 km at 19200 bps. G1 compliant.
Power 24V d.c.
To be used with CI531, CI532Vxx, CI534Vxx, CI853.

Note! This part is exempted from the scope of 2011/65/EU (RoHS) as provided in Article 2(4)(c), (e), (f) and (j) therein (ref.: 3BSE088609 – EU DECLARATION OF CONFORMITY - ABB Advant Master Process Control System)

Product Type: Communication_Module

Ordering

HS Code: 851762-- Telephone sets, including telephones for cellular networks or for other wireless networks; other apparatus for the transmission or reception of voice, images or other data, including apparatus for communication in a wired or wireless network (such as a local or wide area network), other than transmission or reception apparatus of heading 84.43, 85.25, 85.27 or 85.28.- Other apparatus for transmission or reception of voice, images or other data, including apparatus for communication in a wired or wireless network (such as a local or wide area network) :-- Machines for the reception, conversion and transmission or regeneration of voice, images or other data, including switching and routing apparatus

Customs Tariff Number: 8517620000

Dimensions

Product Net Depth / Length: 170 mm

Product Net Height: 230 mm

Product Net Width: 60 mm

Product Net Weight: 0.4 kg

Environmental

RoHS Status: Following EU Directive 2011/65/EU

WEEE Category: 5. Small Equipment (No External Dimension More Than 50 cm)

Number of Batteries: 0



© Copyright 2023 ABB